

**INDIAN INSTITUTE OF TECHNOLOGY GOA  
GEC CAMPUS, Farmagudi, Ponda, Goa-403401**

**CONSTRUCTION & ESTATE MANAGEMENT DIVISION**

GSTIN: 30AABAI1653D1ZF

PAN: AABAI1653D

TAN: BLRI08261B

Enquiry No: IITGOA/C&EMD/2019/008

Dt.30/08/2019

**NOTICE INVITING QUOTATION**

Sealed quotations are invited from approved and eligible contractors for the work as stated below;

Sr.No	Item Description	Unit	Quantity	Rate	Amount
1.	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	170		
2.	PCC 1:3:6 (1 Cement : 3 coarse sand (zone-III) : 6 graded stone aggregate 20 mm nominal size)-100mm thick	Cum	2		
3.	Providing corrugated G.S. sheet roofing including vertical / curved surface fixed with polymer coated J or L hooks, bolts and nuts 8 mm diameter with bitumen and G.I. limpet washers or with G.I. limpet washers filled with white lead, including a coat of approved steel primer and two coats of approved paint on overlapping of sheets complete (up to any pitch in horizontal/ vertical or curved surfaces),excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. i) 1.00 mm thick with zinc coating not less than 275 gm/m <sup>2</sup>	M2	25.8		

4.	Painting on G.S. sheet with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: i)New work (two or more coats) including a coat of approved steel primer but excluding a coat of mordant solution	M2	15		
5.	Providing and fixing factory made precast RCC perforated drain covers, having concrete of strength not less than M-25, of size 1000 x 450x50 mm, reinforced with 8 mm dia four nos longitudinal & 9 nos cross sectional T.M.T. hoop bars, including providing 50 mm dia perforations @ 100 to 125 mm c/c, including providing edge binding with M.S. flats of size 50 mm x 1.6 mm complete, all as per direction of Engineer-in-charge.	Nos	29		
6.	Providing and laying 60mm thick factory made cement concrete interlocking paver block of M -30 grade made by block making machine with strong vibratory compaction, of approved size, design & shape, laid in required colour and pattern over and including 50mm thick compacted bed of coarse sand, filling the joints with line sand etc. all complete as per the direction of Engineer-in-charge.	M2	25		

**Terms & Conditions:**

- 1) Validity of the quotation should be 60days.
- 2) The work should be completed within a stipulated time of 15 days.
- 3) The quotations submitted should be inclusive of GST.
- 4) Scaffolding hiring and installation should be included in the work.
- 5) The work shall be carried out strictly in accordance with the terms, conditions and specifications as per CPWD norms, in the approved workmanlike manner and as per standard practice.
- 6) Materials required for satisfactory completion of work shall be of approved quality, make, grade etc. and of/or confirming to the Indian Standard Specifications (Latest revision) wherever applicable and approved by the Engineer-in-charge.
- 7) Payment will be done on satisfactory completion of the work.

- 8) For any query you may contact us on 7798673061; [sankesh@iitgoa.ac.in](mailto:sankesh@iitgoa.ac.in)
- 9) You are requested to send the sealed quote directly to the Chief Engineer, IIT Goa, Gec Campus, Farmagudi, Ponda, Goa- 403401 on or before 5<sup>th</sup> September 2019.