



CONSTRUCTION & ESTATE MANAGEMENT DIVISION

GSTIN: 30AABAI1653D1ZF

PAN: AABAI1653D

TAN: BLRI08261B

Enquiry No: IITGOA/C&EMD/2020/017

Dt.15/09/2020

NOTICE INVITING QUOTATION

Sealed quotations are invited from approved and eligible contractors for the works "Construction of Academic Office". The schedule of quantities is stated in Annexure A. The terms & conditions of work is as stated below:

Terms & Conditions:

- 1) Validity of the quotation should be 60days.
- 2) The work should be completed within a stipulated time of 30 days from the date of release of work order.
- 3) The agency must be possessing a valid Registration Certificate (CPWD/ PWD).
- 4) All the quoted rates must be inclusive of GST.
- 5) The work shall be carried out strictly in accordance with the terms, conditions and specifications as per CPWD norms, in the approved workmanlike manner and as per standard practice.
- 6) Materials required for satisfactory completion of work shall be of approved quality, make, grade etc. and of/or confirming to the Indian Standard Specifications (Latest revision) wherever applicable and approved by the Engineer-in-charge.
- 7) The agency must make arrangement for scaffolding and other necessary equipment's at its own cost.
- 8) Payment will be done on satisfactory completion of the work.
- 9) For any query you may contact us on 7798673061; sankesh@iitgoa.ac.in
- 10) You are requested to send the sealed quote directly to the Chief Engineer, IIT Goa, Gec Campus, Farmagudi, Ponda, Goa- 403401 on or before 22th Septmeber 2020.

Annexure A - Schedule of Quantities

Sr.No	Item Description	Unit	Quantity	Rate	Amount
1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/neoprene gasket etc. Aluminium sections shall be smooth, ruststraight, mitred and jointed mechanically wherever required including free,cleat angle, Aluminium snap beading for glazing / paneling, C.P.brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately) :For fixed portion i) Anodised aluminium (anodised transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15)	Kgs	85		
2	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber / neoprene gasket required (Fittings shall be paid for separately).i) Anodised aluminium (anodised transparent or dyed to required shade according to IS:1868, Minimum anodic coating of grade AC 15)	Kgs	15		
3	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineerin-charge.i) Pre-laminated particle board with decorative lamination on both sides	M2	8		

Sr.No	Item Description	Unit	Quantity	Rate	Amount
4	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge .(Cost of aluminium snap beading shall be paid in basic item):With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	M2	8		
5	Providing and fixing Brass 100mm mortice latch and lock with 6 levers without pair of handles (best make of approved quality) for aluminium doors including necessary cutting and making good etc.complete.	Nos	2		
6	Providing and fixing aluminium round shape handle of outer dia 100mm with SS screws etc. complete as per direction of Engineer-incharge Anodized (AC 15) aluminium	Nos	4		
7	Providing and fixing 150 mm bright finished floor brass door stopper with rubber cushion, necessary brass screws etc. to suit shutter thickness complete	Nos	2		
8	Carpenter 1st Class	Days	2		