Indian Institute of Technology Goa



Goa College of Engineering Campus, Farmagudi, Ponda - 403401, Goa

Date: 22/03/2019 INVITATION OF BIDS FOR PROCUREMENT OF OPTICAL ASSEMBLY FOR RAMAN CUM PL SETUP ENQUIRY NO: IITGOA/2018-19/126 DTD 22/03/2019

1. Quotations are invited in two bid system for procurement of Optical Assembly for Raman cum PL setup in separate envelopes. Please mention the above-mentioned Title, Enquiry number and due date for submission of Bids on the sealed cover to avoid the Bid being declared invalid.

2. The address and contact numbers for sending Bids or seeking clarifications regarding this RFP are given below –

Assistant Registrar (Stores & Purchase) IIT GOA, At GEC Campus, Farmagudi, Ponda – Goa. 403401 ar_sp@iitgoa.ac.in

3. This bid enquiry is divided into three parts as follows:

a. Part I – Contains General Information such as the time, place of submission and opening of tenders, Validity period of tenders, etc.

b. Part II – Contains Instructions for the Bidders and essential details of the items/services required, such as the Schedule of Requirements (SOR), Technical Specifications, Delivery Period, Place of Delivery and Consignee details.

c. Part III – Contains Price Bid format, other details etc.

4. This bid enquiry is being issued with no financial commitment and the Institute reserves the right to change or vary any part thereof at any stage and to with draw it at any stage.

Indian Institute of Technology Goa



Goa College of Engineering Campus, Farmagudi, Ponda - 403401, Goa

Part I – General information

Tender No.		IITGOA/2018-19/126			
Tender Date		22.03.2019	22.03.2019		
Tender Cateo	gory	Goods	Goods		
Tender Type		Open			
No. of Envelo	opes	2			
Covers Inform	nation / Submission	of Bids			
Cover No.	Cover Type	Description	Document Type		
1	Technical	Technical Specification, Tender Document, EMD, Schedule of Requirement and Compliance, Bidders Information/Indian Agent Information, Previous Supply Order	.pdf		
2	Financial	Financial Bid	.pdf		
 Two Bid System: The two-bid system will be followed for this tender. In this system bidder must submit their offer in separate sealed envelopes as – Technical Bid and Financial Bid. Separate technical bid and financial bid envelopes should be clearly marked as "Envelope No. 1 - Technical Bid" and "Envelope No. 2 - Financial Bid". Both these sealed covers are to be put in a bigger cover which should also be sealed and duly super scribed with our Tender No. & Due Date and to be submitted to the concern department/section mentioned in tender document. Bids should be forwarded by Bidders under their original memo / letter head inter alia furnishing details like GST number, Bank Details etc. and complete postal & e-mail address of their office. 					
 Note: The technical offer should not contain any price information. If the price quoted is submitted in technical bid the tender will be rejected at the sole discretion of IIT Goa. Initially Technical Bids will be opened and evaluated by the purchase committee. Financial Bid of only Technically qualified bidders will be opened later. 					

Contract/ Purchase Order will be awarded to the lowest bidder(L1) of Financial Bid among them.

Form of Contract	Supply				
EMD Fee Details (in the form of Bank Guarantee/Demand Draft)					
EMD Fee INR:	Rs.50,000.00				

General Conditions of EMD:

a) Bidders are required to submit Earnest Money Deposit (EMD) for an amount of Rs 50,000/- along with their bids. The EMD may be submitted in the form of an Account Payee Demand Draft/Bank Guarantee from any Public Sector Bank authorized to conduct government business favouring "Indian Institute of Technology Goa, payable at Goa". Bids not accompanied by EMD will be rejected.

b) The EMD will be refunded to all the bidder other than the three lowest technically suitable bidder within one month from the date of opening of the Financial Bid (Cover – II). The EMD of the bidder other than the bidder whose offer is accepted will be refunded with in a period of one month after award of Contract.

c) The EMD of the bidder who are not qualified under Cover – I will be refunded within one month from the date of return of their unopened cover – II.

d) The EMD of the successful bidder will be refunded only after the remittance of security deposit.

e) Where a person whose tender has been received intimates that they are withdrawing their tender before the validity period or makes any modification in the terms and conditions of the tender which are not acceptable to IIT Goa (or) fail to furnish the security deposit within the prescribed time, IIT Goa shall without prejudice to any other right or remedy, be at liberty to forfeit the Earnest Money deposited by such person absolutely. The Bid Security of the successful bidder would be returned, without any interest whatsoever, after the receipt of Performance Security from them as called for in the contract.

f) Micro and Small Enterprises (MSEs) registered with National Small Industries Corporation are exempted from payment of Earnest Money Deposit. However, vendors covered under this category have to submit copy of registration certificate with present validity along with technical bid, failing which, the bid will be disqualified.

Bid Validity (Days):	180 days
Period of Work/Delivery Period (Days):	90 days
Pre-Bid Meeting Date & Time:	Will be decided on request
Pre-Bid Meeting Place & Address:	NA
	A prospective bidder who requires clarification regarding the contents of the bidding documents shall notify to the Buyer in writing about the clarifications sought not later than 7 (Seven) days prior to the date of opening of the Bids. Copies of the query and clarification by the purchaser will be sent to all prospective bidders who have participated the bidding documents. A bidder may modify or withdraw his bid after submission provided that the written notice of modification or withdrawal is received by the Buyer prior to deadline prescribed for submission of bids. A withdrawal notice may be sent by email but it should be followed by a signed confirmation copy to be sent than the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid shall be modified after the deadline for submission of bids. No bid may be withdrawn in the interval between the deadline for submission of bids and expiration of the period of bid validity specified. Withdrawal of a bid during this period will result in Bidder's forfeiture of bid security.
Rejection of bids:	Canvassing by the Bidder in any form, unsolicited letter and post-tender correction may invoke summary rejection with forfeiture of EMD. Conditional tenders will be rejected.
	Bidders unwilling to quote should ensure that intimation to this effect reaches before the due date and time of opening of the Bid, failing which the defaulting Bidder may be delisted for the given range of items as mentioned in this RFP.
Contract Type:	Tender

Delivery Location:	Indian Institute of Technology Goa Goa Engineering College Campus, Bhausaheb Bandodkar Technical Education Complex, Veling, Farmagudi, Ponda, Goa
Pin Code:	403401
Bid Submission End Date/Date & Time Submission:	12.04.2019 at 17:00hrs
Place of Submission of Bid:	Stores & Purchase Department, IIT Goa, Admin Block, At GEC Campus, Farmagudi, Ponda, Goa-403401
Bid Opening Date & Time:	15.04.2019 at 15:00 hrs
Bid Opening Place:	IIT Goa, Admin Block, At GEC Campus, Farmagudi, Ponda, Goa-403401
Other Terms & Conditions:	As per mentioned in technical specification
Technical Clarification:	Name: Dr. Santosh Kumar Dept: IIT Goa Email: skumar@iitgoa.ac.in +91 9534711220
Tender Inviting Authority:	Name: Assistant Registrar (S&P) Address: Stores & Purchase Department, IIT Goa, Admin Block, At GEC Campus, Farmagudi, Ponda, Goa - 403401
Signing Authority:	Assistant Registrar (S&P)

Indian Institute of Technology Goa

Goa College of Engineering Campus, Farmagudi, Ponda - 403401, Goa



Part II: Instructions to Bidders

- 1. Schedule of Requirements List of items are attached as Annexure 'A'
- 2. Technical Details: Technical details are attached in Annexure 'B'
- **3. Two-Bid System:** In respect of Two-bid system, Bidders are required to furnish clause by clause compliance of specifications bringing out clearly the deviations from specification, if any.

i) The Bidders are advised to submit the following documents along with Technical Bid -

a) Compliance certificate in the following format;

Para of tender enquiry specification item-wise (As per annexure B)	Specification of Item offered	Compliance – whether YES/NO	In case of non- compliance, deviation to be specified in unambiguous terms

The offers must strictly be as per the specifications given in Annexure-A. At the same time, it must be kept in mind that mere copying of our specifications in the quotation shall not make the technical bid eligible for consideration. A bid has to be supported with original catalogue (not of photo copy) of the quoted model duly signed by the principals and the same must be sent along with the technical bid. The quoted model should not become obsolete for a minimum period of 5 years (This is for the availability of spares). Therefore, the model quoted should invariably be highlighted in the leaflet/literature enclosed with the quotation. Non-compliance with above shall be treated as incomplete/ambiguous and the bid may be ignored without giving an opportunity to the bidder for further clarification/negotiation etc.

- b) Bidders & Indian Agent's Information (Annexure C).
- c) A copy of Indian Agent Agreement / Authorisation letter from OEM / OEMs along with tender to be submitted by All Indian Agents, if the manufacturer/supplier is based in abroad.
- d) EMD
- e) GST/PAN details
- f) The Bidder should provide a list of customers of previous supply of a similar/ same range of equipment to IIT's/ NIT's/Universities with contact details.

ii) The following documents should be submitted along with Financial Bid –

a) Price Bid. (Annexure D)

b) Previous order of supplies/Justification of quoted rates. (Annexure E)

4. Delivery Period – supply to be made within <u>90 days</u> from the effective date of issuance of Purchase Order. Please note that P.O. can be cancelled unilaterally by the Institute in case items are not received within the delivery period. Extension of delivery period will be at the sole discretion of the Institute, with applicability of LD clause.

5. Delivery and Transportation - Place for supply / installation is 'Indian Institute of Technology Goa, Ponda – Goa'. The transportation cost & Insurance charges up to the destination is to be borne by the bidder.

Part III: Conditions of Contract

- 1. Award of Contract:
 - i. IIT Goa shall award the contract to the technically qualified eligible BIDDER whose bid has been determined as the lowest evaluated financial bid.
 - ii. If more than one BIDDER happens to quote the same lowest price, IIT Goa reserves the right to award the contract to more than one BIDDER or any BIDDER.

2. Prices:

i.

- For Import Supplies
 - a) It is mandatory to quote price in CIF/CIP Goa basis only with separate cost breakup.
 - b) In case of Multiple options of same product, bidders are requested to quote only one best option and not multiple options.
 - c) All local taxes, customs duty and clearance charges will be borne by the Institute as applicable.
 - d) The supplier shall pay and bear all other liabilities, taxes and duties not specifically agreed by the Purchaser in the contract.

For Indigenous Supplies –

- a) In case of Multiple options of same product, bidders are requested to quote only one best option and not multiple options.
- b) The supplier shall pay and bear all other liabilities, taxes and duties not specifically agreed by the Purchaser in the contract.
- 3. Pre-installation:
 - i. Please also mention the pre-installation requirements for the equipment like ambient temperature, humidity, civil work, weather specifications, power specifications, etc. When items are provided full performance satisfaction should be demonstrated.
- 4. Installation:
 - i. Supplier shall be responsible for installation / demonstration wherever applicable and for after sales service during the warranty period and thereafter as mentioned in the contract.
 - ii. Installation / demonstration to be arranged by the supplier free of cost and the same is to be done within 15 days of the arrival of the equipment at site.
- 5. Training:
 - i. The supplier shall submit training proposal for the operation and maintenance to the personnel of IIT Goa on the offered equipment/machinery.
 - ii. Wherever needed, our technical persons should be trained by the supplier at the project site free of cost. In case the person is to be trained at supplier's site abroad or in India it should be mentioned in the quotation clearly. The supplier should bear all the expenses for such training including 'to & fro' fares and lodging & boarding charges.
- 6. Terms of Payment:
 - i. 90% Payment on delivery or by Letter of credit and balance 10% will be paid after satisfactory installation and commissioning. IIT Goa do not pay any advance payment to supplier.
- 7. Legal Matter:
 - i. All disputes are subject to Goa jurisdiction only.
- 8. Penalty/ Liquidated Damages:
 - i. Timely delivery is essence of the contract and hence if any consignment be delayed, liquidated damages at the rate 0.5% of the price of the delayed consignment, for each week or part whereof shall be levied and recovered subject to maximum of 10% of total purchase order value.
 - ii. IIT Goa reserves the right to cancel the order in case the delay is more than 10 weeks. Penalties if any will be recovered by forfeiting PBG at vendor's cost and risks.

- 9. Supervision of Erection and Commissioning:
 - i. Successful BIDDER shall depute concerned specialist, for supervision of erection & commissioning of the machine to be carried out. The successful BIDDER shall make necessary arrangement at their own expenses for stay, transport and other expenses of their Specialist during their stay in Goa which also includes imparting free of cost training to IIT Goa personnel.

10. Performance Guarantee (GFR 2017 Rule 171):

- i. Performance Guarantee Bond is mandatory.
- ii. Successful tenderer/ bidder should submit performance guarantee as prescribed above to be sent to The Assistant Registrar, Stores & Purchase Department, IIT Goa on or before 15 days from the due date of issue of order acknowledgement. The PBG to be furnished in the form of bank guarantee as per proforma or annexure of the tender documents, for an amount covering 5 % of the purchase order value.
- iii. The Performance Guarantee should be established in favour of "The Registrar, IIT Goa".
- iv. PBG to be established through any of the National Banks (whether situated at Goa or outstation) with a clause to enforced the same on their local branch of Goa or any scheduled bank (other than national bank) situated at Goa. Bonds issued by co-operative banks will not be accepted.
- v. Performance Guarantee Bond shall be for the due and faithfully performance of the contract and shall remain binding, notwithstanding such variations, alterations for extensions of time as may be made, given, conceded or agreed to between the successful tenderer and the purchaser under the terms & conditions of acceptance to the tender.
- vi. The successful tenderer is entirely responsible for due performance of the contract in letter and spirit and all other documents referred to in the acceptance of tenders.
- vii. The PBG shall be kept valid during the period of contract and shall continue to be enforceable for a period of one year/two years (as mentioned in the tender document) or upto warranty period whichever is later from the date of order acknowledge. In case PBG needs extensions upto warranty period then supplier shall initiate extensions to PBG one month prior to expiry of PBG.
- viii. For successful suppliers, if PBG is not submitted within 15 days from the date of Order Acknowledgement, then the Purchase Order will be cancelled with forfeiting of EMD.
- ix. No interest shall be payable by the buyer to the Bidder on PBG.

List of items required

SI. No.	Description of Items	Qty
1	OPTICAL ASSEMBLY FOR RAMAN CUM PL SETUP	01 No.

Annexure – B

Specifications of Optical Assembly for Raman-cum-PL Setup

1: Optomechanics components

	Category	Sl.No.	Description	Qty
		1	Ø25.0 mm Pillar Post, M6 Taps, L = 300 mm, with M4 Adapter	4
		2	Ø25.0 mm Pillar Post, M6 Taps, L = 100 mm, with M4 Adapter	4
А	Periscope	3	ϕ 25.0 mm Pillar Post, M6 Taps, L = 50 mm, with M4 Adapter	4
~	renscope	4	Studded Pedestal Base Adapter for 1" Piller Post, M6 Thread	4
		5	Clamping Fork for Pedestal base of $ otin 1"$ Piller Post, with Counterbored Slot, Universal	4
		6	Tip/Tilt Rotation Beam Steering Assembly, Metric	8
		1	Kinematic Mirror Mount for Ø1" Optics	25
В	Mirror mount	2	25 mm x 25 mm Kinematic Base, Top and Bottom Plates, M4 Counterbores, for inserting mirror in/out in optical path	6
		3	Cage system compatible, $Ø1$ " Lens tube compatible, Right-Angle Kinematic 1" Mirror Mount with tapped cage rod bores, with M4 and M6 mounting holes	4
		1	Lens Mount with Retaining Ring for $ otin 1/2$ " Optics, M4 Tap	5
С	Lens mount	2	Lens Mount with Retaining Ring for Ø1" Optics, M4 Tap	10
		3	Lens Mount with Retaining Ring for $ otin 2$ " Optics, M4 Tap	2
		1	Cage Cube for Ø1" and 25 by 36 mm optics	6
	Cage cube,	2	Cage Cube Connector	4
	cover plate,	3	Blank Cover Plate for Cage Cube, Metric	4
D	rotation, tip- tilt platform, and	4	Cage Cube Precision Kinematic Rotation Platform (Metric), for mounting optics, for Tip, Tilt, and Height adjustment, for manual continuous 360 deg and min. 5 deg micrometer-driven fine rotation of optics	2
	compatible	5	Cage Cube Rotation Platform (Metric), for mounting optics, for manual continuous 360 deg rotation of optics	2
	optical mounts	6	Cage Cube Platform (Metric), for mounting optics, at fixed position	4
		7	SM1-internal threaded Optic Mount for Cage Cube, Mounts up to 6 mm or more Thick Optics	4
		1	Vertical Cage Clamp for Ø1.5" Posts, Metric	2
	d4 51	2	Ø1.5" Mounting Post, M6 Taps, Length = 350 mm	2
Е	Ø1.5" mounting post	3	Ø1.5" Mounting Post, M6 Taps, L engh= 100 mm	2
	and base	4	Ø1.5" Mounting Post, M6 Taps, Length = 50 mm	2
		5	Base for 1.5" Mounting Post, 1 M6 counterbored hole for mounting the post, and 4 M6 counterbored holes for mounting with 25 mm grid optical table	2
		1	Cage System Alignment Plate with a small hole in the center, diameter of hole not more than 1 mm	1
	A.1.	2	Ø1" Visible and IR Alignment Disk (400 - 640, 800 - 1700 nm)	1
F	Alignment tools	3	Ø1" Alignment Disk, S,C, & L Bands (790 - 840, 870 - 1070, 1500 - 1590 nm)	1
		4	SM1-Threaded Cage Mount compatible Graduated Ring-Actuated Iris Diaphragm with Ø1 - Ø10 mm or more	2
		5	Standard Iris, Ø25 mm Max Aperture, Mounted on Ø0.5" Post	5
		1	Spanner Wrench for SM1-External Threaded Adapters for Lens Tube System, Preferebly of Length = 1"	1
	_	2	Adjustable Spanner Wrench for Lens Tube System	1
~	Spanner for optomechanics	3	Spanner Wrench for SM1-Threaded Retaining Rings, Graduated Scale of Length < 4"	1
G	and mounted	4	Spanner Wrench for $\emptyset 1/2$ " Posts and $\emptyset 1$ " Posts	1
	optics	5	Spanner Wrench for Slotted SM05, SM1, and C-Mount Locking Rings	1
		6	Spanner Wrench for an M8 x 0.5 Optics Housing, Length = 1"	1
			Sharmer America for an IMO X 0.5 Ohrics Horsing, rengin - 1	T

		7	Spanner Wrench for an M6 x 0.5 Optics Housing, Length = 1"	1
		8	Spanner Wrench for an M9 x 0.5 Optics Housing, Length = 1"	1
		9	Spanner Wrench for SM05-Threaded Retaining Rings, Length = 1.00"	1
		1	Extended RMS to M8 x 0.5 Adapter for holding the mounted aspheric lens	2
н	Other threading	2	Extended RMS to M6 x 0.5 Adapter for holding the mounted aspheric lens	2
	adapter	3	Adapter with External SM1 Threads and Internal RMS Threads	4
		4	SM1 to M9 x 0.5 Lens Cell Adapter for holding the mounted aspheric lens	6
		1	SM1-Threaded 30 mm Cage Plate, Thickness <0.4", with 2 Retaining Rings, M4 Tap	20
		2	SM1-Threaded 30 mm Cage Plate, >0.4" Thick, 2 Retaining Rings, M4 Tap	15
		3	Ø6 mm Cage Assembly Rod, 10" Long	8
		4	Ø6 mm Cage Assembly Rod, 8" Long	20
		5	Ø6 mm Cage Assembly Rod, 6" Long	32
	30 mm cage plate, rod,	6	Ø6 mm Cage Assembly Rod, 4" Long	32
	clamp, adapter	7	Ø6 mm Cage Assembly Rod, 3" Long	28
		8	Ø6 mm Cage Assembly Rod, 2" Long	20
		9	Ø6 mm Cage Assembly Rod, 1.5" Long	12
		10	Ø6 mm Cage Assembly Rod, 1" Long	8
		11	Right-Angle Ø1/2" to Ø6 mm Post Clamp, with Thumbscrew	5
		12	Rod Adapter for Ø6 mm Cage Assembly Rods for Cage Assembly Constructionvb	20
Ŀ		1	FC/APC Fiber Adapter Plate with External SM1 (1.035"-40) Threads	4
5	Fiber adapter plate, Mating	2	FC/PC Fiber Adapter Plate with External SM1 (1.035"-40) Threads	2
	Sleeve	3	FC/APC to FC/APC Dual L-Bracket Mating Sleeve, Narrow Key (2.0 mm)	2
		4	FC/PC to FC/PC Dual L-Bracket Mating Sleeve, Wide Key (2.2 mm)	2
	30 mm Cage	1	30 mm Cage System, XY Translating Lens Mount for $ atla1$ " Optics	6
к	compatible	2	Z-Axis Translation Mount, 30 mm Cage Compatible	6
	translation stage	3	1/2" Translation Stage for 30 mm Cage Systems	1
	U	4	XY Translating Lens Mount for use with CT1 or MS Stages	1
		1	SM05 Lens Tube, 0.30" Thread Depth, with Retaining Ring	7
		2	SM05 Lens Tube, 0.50" Thread Depth, with Retaining Ring	5
L	Ø0.5" Lens tube, coupler,	3	Adapter with External SM1 Threads and Internal SM05 Threads, Knurled Edge	10
	adapter	4	SM05 (0.535"-40) Coupler, External Threads, 1" Long	2
		5	SM05 (0.535"-40) Locking Ring for Coupler, Slots on Ring for Spanner Wrench	4
		6	SM05 (0.535"-40) Adjustable Lens Tube, 0.3" Travel	2
		1	SM1 Lens Tube, 0.50" Thread Depth, with Retaining Ring	5
	da	2	SM1 Lens Tube, 1.00" Thread Depth, with Retaining Ring	10
М	Ø1" Lens tube, coupler,	3	SM1 Lens Tube, 2.00" Thread Depth, with Retaining Ring	5
	adapter	4	SM1 (1.035"-40) Coupler, External Threads, 1" Long	3
		5	SM1 (1.035"-40) Coupler, External Threads, 2" Long	2
	Laura turka fara	6	SM1 (1.035"-40) Locking Ring, 1.25" Outer Diameter, Slots for Spanner Wrench	10
Ν	Lens tube for Polarizing	1	SM05 Lens Tube Mount for 5 mm Mounted Polarizing Prisms	2
	prism	2	SM1 Lens Tube Mount for 8 mm and 10 mm Mounted Polarizing Prisms	2
		1	Precision Cage Rotation Mount with Micrometer Drive, $ otin 1"$ Optics, M4 Tap	4
0	Rotation	2	30 mm Cage Compatibe, Rotation Mount for $ otin 1$ Optics, Double Bored with Setscrew, M4 Tap	8
	stages	3	otin 2" Manual Rotation Stage, Metric, Mountable on 25 mm grid optical table	2
		4	Pivoting, Quick-Release, $ otin 1"$ Optic Mount for 30 mm Cage System (Metric)	4
~	Ø0.5" Optical	1	Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 30 mm	10
Р	posts and bases	2 3	Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 50 mm	15
		э	Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 75 mm	25

		4	Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 100 mm	15
		5	Ø12.7 mm Optical Post, SS, M4 Setscrew, M6 Tap, L = 150 mm	10
		6	Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=30 mm	10
		7	Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=50 mm	25
		8	Ø12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=75 mm	30
		9	otin12.7 mm Post Holder, Spring-Loaded Hex-Locking Thumbscrew, L=100 mm	10
		10	Ø1.25" Studded Pedestal Base Adapter for Ø12.7 mm Post Holder, 1/4"-20 Thread	75
		11	Clamping Fork for base of $ otin 12.7$ mm Post Holder, with Counterbored Slot, Universal	75
		12	Position-Maintaining Post Collar for Ø1/2" Posts and Post Holders	5
		13	Slip-On Post Collar for Ø1/2" Posts, M6 Thumbscrew	20
Q	XYZ Stage and	1	3-Axis RollerBlock Long-Travel Bearing Stage, Micrometers, Metric Top Plate	1
ų	adapter	2	Adapter Plate with M6 and M4 Taps for XYZ Stage	1
R	XY Stage with rotation base	1	XY Stage with Solid Top Plate, 13 mm Travel, 360° Rotation, Metric Taps	1
	Kinematic	1	Kinematic, SM1-Threaded, 30 mm-Cage-Compatible Mount for Ø1" Optic, Metric	2
S	mount, and	2	48.6 mm x 48.6 mm Kinematic Platform Mount	2
	arm	3	Large Adjustable Clamping Arm, M4 Threaded Post, for 48.6 mm x 48.6 mm Kinematic Platform Mount	2
т	Screw kit	1	M4 Cap Screw and Hardware Kit	1
•	Serew kit	2	M6 Cap Screw and Hardware Kit	1
U	Hex key	1	Hex Key Kit, Metric	1
v	Longpass filter holder ND Filter	1	30 mm Cage System compatible, Removable Filter Holder for $ otin 1"$ Optics, with Plate and Holder, Metric, M4 Tap	1
W	mount	1	Post Mount Assembly for Variable ND Filter	1

2: Optics components

	• •			
	Category	SI. No.	Description	Qty
А	Silver Mirror	1	Ø1" Protected Silver Mirror	20
		1	f = 2.75 mm, NA = 0.64, Mounted Geltech Aspheric Lens, Visible AR coating	1
		2	f = 2.75 mm, NA = 0.55, Mounted Geltech Aspheric Lens, Visible AR coating	1
в	Aspheric lens	3	f = 2.75 mm, NA = 0.64, Mounted Geltech Aspheric Lens, NIR AR coating	1
D	/ opnene reno	4	f = 2.75 mm, NA = 0.55, Mounted Geltech Aspheric Lens, NIR AR coating	1
		5	f = 18.40 mm, NA = 0.15, Mounted Geltech Aspheric Lens, Visible AR coating	2
		6	f = 18.40 mm, NA = 0.15, Mounted Geltech Aspheric Lens, NIR AR coating	2
		1	f=10 mm, Ø5 mm Achromatic Doublet, M9x0.5 Threaded Mount, Visible AR coating	2
с	Achromat	2	Ø6.35 mm Achromatic Doublet, M9x0.5 Threaded Mount, NIR AR coating	2
C	lens	3	f=150 mm, $ otin 1$ " Achromatic Doublet, SM1-Threaded Mount, NIR AR coating	1
		4	f=150 mm, $ otin 1$ " Achromatic Doublet, SM1-Threaded Mount, Visible AR coating	1
		1	otin 1/2 " Mounted Zero-Order,Quarter-Wave Plate, $ otin 1 $ " Mount, 532 nm	1
		2	otin 1/2" Mounted Zero-Order Half-Wave Plate, $ otin 1" $ Mount, 532 nm	1
D	Waveplate	3	otin 1/2 " Mounted Achromatic Quarter-Wave Plate, $ otin 1 $ " Mount, Visible range	1
		4	otin 1/2 " Mounted Achromatic Half-Wave Plate, $ otin 1 $ " Mount, Visible range	1
		5	otin 1/2 " Mounted Achromatic Quarter-Wave Plate, $ otin 1 $ " Mount, NIR range	1
		6	otin 1/2 " Mounted Achromatic Half-Wave Plate, $ otin 1 $ " Mount, NIR range	1
Е	Polarizer	1	Glan-Taylor Polarizer, 10 mm Clear Aperture, Visible AR coating	1
		2	Glan-Taylor Polarizer, 10 mm Clear Aperture, NIR AR coating	1

F	F N-BK7	1	\emptyset 1" N-BK7 Broadband Precision Window, Uncoated, Thickness = 5 mm	2
	Window	2	Ø1" Wedged N-BK7 Window, Uncoated, Thickness = 5 mm	2
G	Photodiodes	1	Si Switchable Gain Detector, >10 MHz BW, >64 mm2, Universal 8-32 / M4 Taps	1
		2	Mounted Silicon Photodiode, Cathode Grounded	2
		1	Single Mode Patch Cable, 488 - 633 nm, FC/APC, Ø3 mm Jacket, 5 m Long	1
	File and O	2	Single Mode Patch Cable, 633 - 780 nm, FC/APC, Ø3 mm Jacket, 5 m Long	1
Н	Fibers & splitters	3	Ø105 μ m, 0.22 NA, Low OH, FC/PC-FC/PC Fiber Patch Cable, 5 m	1
		4	2x2 Wideband Fiber Optic Coupler, Center wavelength 665 \pm 10 nm, bandwidth 65 \pm 15 nm99:1 Split, FC/APC	1
		5	2x2 Multimode Fiber Optic Coupler, Low OH, Ø105 μm Core, 0.22 NA, 99:1 Split, FC/PC	1
I	ND filter wheel Longpass	1	Unmounted Continuously Variable ND Filter, Ø25 mm, OD: 0-4.0	1
J	filter	1	ϕ 25.0 mm Premium Longpass Filter, Cut-On Wavelength: ~550 \pm 5 nm	1
		1	12X Zoom Lens with Fine Focus and Coaxial Illumination Port	1
К	Zoom lens	2	2.00X Extension Tube for 12X Zoom Lenses with F-Mount Bayonet Mount	1
		3	2.0X Magnifying Lens Attachment for 12X Zoom Lens	1
		1	High-Intensity Fiber-Coupled Illuminator with >75 cm Long Fiber Bundle	1
L	White light source	2	Collimation Package for Illuminator Fiber Bundles	1
		3	3200 K Enhanced IR Replacement Bulb for Illuminator, >150 Hour Lifetime	1
М	Beamsplitter	1	1" Polarizing Beamsplitter Cube, Visible AR coating	2
Ν	beamspitter	2	50:50 Non-Polarizing Beamsplitter 1" Cube, NIR AR coating	2

Other conditions:

- 1) To ensure the compatibility, the bidders must bid for Optomechanics and Optics elements from a single manufacturer or from the manufacturers that are associated the parent manufacturer.
- 2) Unless otherwise specified, all Optomechanics and Optics elements should follow the Metric System.
- 3) Each Optomechanics elements must have to be compatible with other Optomechanics parts, and their drawings must be readily available, either online or upon request. All Optics elements should have standard sizes so that they could easily be mounted within their corresponding Optomechanics elements.
- 4) The bidders/manufacturers must provide part numbers of all Optomechanics and Optics elements so that their detailed specifications can be collected either from the manufacturer website or upon request to the manufacturer.
- 5) The anti-reflection (AR) coatings curves for optics elements must be provided. The ARcoated optics elements with lowest reflectivity will be preferred and the comparison will be done in a wavelengths window of 475 – 575 nm (700 – 900 nm) for the visible (NIR) range.

(To be printed on letterhead of the bidder)

Annexure C

1.	Name of the Bidder	
2.	Address of the Bidder	
2.	Address of the Didder	
3.	PAN No.	
3.		
4.	GSTN No.	
5.	State of GST Registration	
5.	State of 001 Registration	
6.	E-mail	
7.	Contact Person's Name & Designation	
/.	Contact i croon o runne & Designation	
8.	Mobile No.	

Bidders Information

Indian Agent's Information

1.	Name of Indian Agent	
2.	Address of Indian Agent	
3.	Indian Agent PAN No.	
4.	Indian Agent GSTN No.	
5.	State of GST Registration	
6.	E-mail	
7.	Contact Person's Name & Designation	
8.	Mobile No.	

(To be printed on letterhead of the bidder)

Annexure D

PRICE BID FORMAT

(For Imported Supplies)

S.No.	Item description & short specification	HSN Code/ SAC Code	Qty in Units	GST %	Price Basis	Total Bid Price
1.	Optical Assembly for Raman cum PL setup (As per technical specification)					
2.	Installation and Commissioning Charges (if any, quote in INR)					
3.	Agency Commission (if any, quote in %)					
4.	Other Charges (if any, please specify)					
Grand	Total					

#HSN Code: "Harmonized System of Nomenclature Code No." and SAC Code: "Service Accounting Codes Code No."

1. Delivery Period: days

2. Terms of Payment

(a) 90% payment by Letter of Credit and balance 10% will be paid by wire transfer after satisfactory installation and commissioning.

3. Validity of the bid: 180 days from the date of submission of quotation/tender.

- 4. Mode of Shipment:
- 5. Port of Shipment:

Signature
Name
Company Name & Address:

Place: Date:

Affix Rubber Stamp:

Note: Price Bid should be submitted in given format only. For additional information/extra items above format may be typed and used.

PRICE BID FORMAT

(for Indigenous Supplies, Quotes in INR only)

S.No.	Item description & short specification	HSN Code/ SAC Code	Qty in Units	GST %	Price Basis	Total Price	Bid
1.	Optical Assembly for Raman cum PL setup (As per technical specification)						
2.	Installation and Commissioning Charges (if any, quote in INR)						
3.	Agency Commission (if any, quote in %)						
4.	Other Charges (if any, please specify)						
Grand	Total	·	•	•	·		

#HSN Code: "Harmonized System of Nomenclature Code No." and SAC Code: "Service Accounting Codes Code No."

1. Delivery Mode: Delivery at IIT Goa, at site only.

2. Terms of payment: 100% payment within 30 days after the delivery and successful installation at IIT Goa.

3. Validity of the bid: 180 days from the date of submission of quotation/tender.

Signature
Name
Company Name & Address:

Place:

Date:

Affix Rubber Stamp:

Note: Price Bid should be submitted in given format only. For additional information/extra items above format may be typed and used.

Annexure-E

Reasonability of Prices

Please quote best minimum prices applicable for a premier Educational and Research Institution. The party must give details of at least two purchase orders identical or similar equipment, supplied to any IITS/Research Institutions/ other organisation as per below Format (to be enclosed in Technical Bid) along with the final price paid and details are mandatory.

Previous Supply Orders

S.No.	PO	Description &	Value	Date of	Remarks	Has the	Contact
	No.	Quantity of	of	completion of	indicating	equipment	Person
	&	ordered	Order	delivery as per	reasons for	being	along with
	Date	equipment		contract	late delivery,	installed	Telephone
					if any and	satisfactorily	no., Fax
					justification of	(attach a	No. and e-
					price	certificate	mail
					difference of	from the	address
					their supply	Purchaser/	
					order & those	Consigner)	
					quoted to us	e energiner,	
					940104 10 40		

Name of the Firm _____

Place: _____

Date: _____

FORMAT FOR PERFORMANCE GUARANTEE BOND

(To be typed on <u>Non-judicial stamp paper</u> of the value of Indian Rupees of One Hundred) (TO BE ESTABLISHED THROUGH ANY OF THE NATIONAL BANKS (WHETHER SITUATED AT GOA OR OUTSTATION) WITH A CLAUSE TO ENFORCE THE SAME ON THEIR LOCAL BRANCH AT GOA OR ANY SCHEDULED BANK SITUATED AT GOA. BONDS ISSUED BY CO-OPERATIVE BANKS ARE NOT ACCEPTED.

To, The Registrar, Indian Institute of Technology, Goa Farmagudi, Ponda, Goa – 403401

LETTER OF GUARANTEE

WHEREAS Indian Institute of Technology, Goa (Buyer) have invited Tenders vide Tender No...... Dt. for purchase of AND

This Bank further agrees that the decision of Indian Institute of Technology, Goa (Buyer) as to whether the said Tenderer (Seller) has committed a breach of any of the conditions referred in tender document / purchase order shall be final and binding.

Notwithstanding anything contained herein:

- 2. This Bank Guarantee shall be valid up to(date) and

Date:

Yours truly, Signature and seal of the Guarantor: Name of Bank:

Instruction to Bank: Bank should note that on expiry of Bond Period, the Original Bond will not be returned to the Bank. Bank is requested to take appropriate necessary action on or after expiry of bond period.