

**INDIAN INSTITUTE OF TECHNOLOGY GOA  
GEC CAMPUS, Farmagudi, Ponda, Goa-403401**

**CONSTRUCTION & ESTATE MANAGEMENT DIVISION**

GSTIN: 30AABAI1653D1ZF

PAN: AABAI1653D

TAN: BLRI08261B

Enquiry No: IITGOA/C&EMD/2020/005

Dt.25/02/2020

**NOTICE INVITING QUOTATION**

Sealed quotations are invited from approved and eligible contractors for the civil works & electrical works as stated in Annexure A & Annexure B.

**Terms & Conditions:**

- 1) Validity of the quotation should be 60days.
- 2) The work should be completed within a stipulated time of 30 days from the date of release of work order.
- 3) All the quoted rates must be inclusive of GST.
- 4) The work shall be carried out strictly in accordance with the terms, conditions and specifications as per CPWD norms, in the approved workmanlike manner and as per standard practice.
- 5) Materials required for satisfactory completion of work shall be of approved quality, make, grade etc. and of/or confirming to the Indian Standard Specifications (Latest revision) wherever applicable and approved by the Engineer-in-charge.
- 6) Payment will be done on satisfactory completion of the work.
- 7) For any query you may contact us on 7798673061; [sankesh@iitgoa.ac.in](mailto:sankesh@iitgoa.ac.in)
- 8) You are requested to send the sealed quote directly to the Chief Engineer, IIT Goa, Gec Campus, Farmagudi, Ponda, Goa- 403401 on or before 03<sup>rd</sup> March 2020.

## Annexure A- Civil Works

Sr.No	Particulars	Unit	Quantity	Rate	Amount
1	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of Engineer-in-Charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 5 mm thickness(weight not less than 12.50kg/sqm)	m2	45		
2	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in- charge. (Glazing, paneling and dash fasteners to be paid for separately) For Fixed Portion:1)Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of Grade AC 15)	kgs	240		
3	For shutters of doors, windows & ventilators including providing and fixing hinges/ pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber /neoprene gasket required (Fittings shall be paid for separately) 1)Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15)	kgs	30		
4	Providing and fixing ISI marked oxidised M.S. tower bolt black finish, (Barrel type) with necessary screws etc. complete : 2) 250X10mm	nos	2		
5	Providing and fixing bright finished brass 100 mm mortice latch and lock, ISI marked, with six levers and a pair of anodised (anodic coating not less than grade AC 10 as per IS : 1868) aluminium lever handles of approved quality with necessary screws etc. complete.	nos	2		

**Annexure B- Electrical Works**

<b>Sr. No</b>	<b>Material</b>	<b>R. M/Nos</b>	<b>Qty</b>	<b>Rate</b>	<b>Amount</b>
1	2x2 celing light	Nos	12		
2	1200 mm Fans	Nos	6		
3	6 amp sockets	Nos	40		
4	6 amp switch	Nos	40		
5	AC 2 TR	Nos	2		
6	90 mtr box of 4 sqmm wire	Nos	1		
7	90 mtr box of 2.5 sqmm wire	Nos	6		
8	4 way TPN DB	Nos	1		
9	25 amp MCB	Nos	2		
10	125 amp TPN MCCB	Nos	1		
11	10 amp MCB	Nos	20		