



CONSTRUCTION & ESTATE MANAGEMENT DIVISION

GSTIN: 30AABAI1653D1ZF

PAN: AABAI1653D

TAN: BLRI08261B

Enquiry No: IITGOA/C&EMD/2021/006

Dt.11/03/2021

NOTICE INVITING QUOTATION

Sealed quotations are invited from approved and eligible contractors for the works "Repair & Renovation of RHS-3 (PG Block) – Civil Works". The schedule of quantities is stated in Annexure A. The terms & conditions of work are as stated below:

Terms & Conditions:

- 1) Validity of the quotation should be 60days.
- 2) The work should be completed within a stipulated time of 20 days from the date of release of work order.
- 3) The agency must be possessing a valid Registration Certificate (CPWD/ PWD).
- 4) All the quoted rates must be inclusive of GST.
- 5) The work shall be carried out strictly in accordance with the terms, conditions and specifications as per CPWD norms, in the approved workmanlike manner and as per standard practice.
- 6) Materials required for satisfactory completion of work shall be of approved quality, make, grade etc. and of/or confirming to the Indian Standard Specifications (Latest revision) wherever applicable and approved by the Engineer-in-charge.
- 7) The agency must make arrangement for scaffolding and other necessary equipment's at its own cost.
- 8) Payment will be done on satisfactory completion of the work.
- 9) Water required for the works should be arranged by the agency and electricity will be provided by IIT Goa.
- 10) For any query you may contact us on 7798673061; sankesh@iitgoa.ac.in
- 11) You are requested to send the sealed quote directly to the Chief Engineer, IIT Goa, Gec Campus, Farmagudi, Ponda, Goa- 403401 on or before 19th March 2021.

Annexure A - Schedule of Quantities

Sr.No	Item Description	Unit	Quantity	Rate	Amount
1	Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.	cum	1.6		
2	Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead : i) Of area 3 sq. metres and below	each	1		
3	Dismantling wood work in frames, trusses, purlins and rafters up to 10 metres span and 5 metres height including stacking the material within 50 metres lead: Of sectional area 40 square centimetres and above	cum	0.05		
4	62 mm thick cement concrete flooring with concrete hardener topping, under layer 50 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20mm nominal size) and top layer 12mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate, 6mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacture's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	sqm	80		
5	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)	cum	8		
6	Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. i) For thickness of tiles 10 mm to 25 mm	sqm	90		
7	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	sqm	15		
	Total (Inclusive of GST)				