

## CONSTRUCTION & ESTATE MANAGEMENT DIVISION

GSTIN: 30AABAI1653D1ZF

PAN: AABAI1653D

TAN: BLRI08261B

Enquiry No: IITGOA/C&EMD/2021/022

Dt. 16/08/2021

### NOTICE INVITING QUOTATION

Sealed quotations are invited from approved and eligible contractors for the works "Hostel Repair Works - Civil". The schedule of quantities is stated in Annexure A. The terms & conditions of work are as stated below:

Terms & Conditions:

- 1) Validity of the quotation should be 60days.
- 2) Bid Security declaration in lieu of EMD is required as per the format attached in Annexure B. The agencies who fail to submit the bid security will be out rightly rejected.
- 3) The work should be completed within a stipulated time of 15 days from the date of release of work order.
- 4) The commencement and completion of the work within the specified time frame will be the responsibility of the bidder, failing which a compensation @ 1% of the accepted tender amount will be charged per day subjected to a maximum of 10% of the total accepted tender amount.
- 5) The work shall be carried out strictly in accordance with the terms, conditions and specifications as per CPWD norms, in the approved workmanlike manner and as per standard practice.
- 6) All the quoted rates must be inclusive of GST.
- 7) The work shall be carried out in the approved workmanlike manner and as per standard practice.
- 8) Materials required for satisfactory completion of work shall be of approved quality, make, grade etc. and of/or conforming to the Indian Standard Specifications (Latest revision) wherever applicable and approved by the Engineer-in-charge.
- 9) Payment will be done on satisfactory completion of the work. A security amount @ 3% of the quoted amount will be deducted from the final bill and the same will be refunded after the defect liability period of 1 year.

- 10) Water required for the works should be arranged by the agency and electricity will be provided by IIT Goa.
- 11) For any query you may contact us on 7798673061; [sankesh@iitgoa.ac.in](mailto:sankesh@iitgoa.ac.in)
- 12) You are requested to send the sealed quote directly to the Executive Engineer, IIT Goa, Gec Campus, Farmagudi, Ponda, Goa- 403401 on or before 23<sup>rd</sup> August 2021.

Sd/-  
Executive Engineer, IIT Goa

Annexure A ( Schedule of Quantities)					
Sr.No	Item Description	Unit	Quantity	Rate	Amount
1	Providing & fixing stainless steel tower bolts (barrel type) with necessary screws etc. complete : 250x10mm	Nos	9		
2	Providing and fixing stainless steel sliding door bolt with nuts and screws etc. complete: 300x16mm	Nos	5		
3	Providing and fixing chromium plated brass curtain rod having wall thickness of 1.25mm with two chromium plated brass brackets fixed with C.P. brass screws and PVC sleeves etc., wherever necessary complete : 25 mm dia	Rm	6		
4	Providing and fixing stainless steel hanging floor door stopper, with necessary screws etc. complete. i) Twin Door Stopper	Nos	25		
5	Providing and fixing mirror of superior glass (of approved quality) minimum 6mm thickness of required shape and size with 6mm thick ply wood board backing confirming to IS:710 i/c fixing with necessary stainless steel studs of approved design and polishing of edges of the mirror complete as per architectural drawing and directions of the Engineer-in-Charge etc. complete.	Sqm	9.18		
6	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: i) White Vitreous China Angle back wash basin size 400 x400 mm with single 15 mm C.P. brass pillar tap	Each	3		
7	Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.i) Flexible pipe - 32mm dia	Each	2		
8	Providing and fixing PTMT towel ring trapezoidal shape 215 mm long, 200 mm wide with minimum distances of 37 mm from wall face with concealed fittings arrangement of approved quality and colour, weighing not less than 88 gms.	Each	2		
9	Providing and fixing PTMT towel rail complete with brackets fixed to wooden cleats with CP brass screws with concealed fittings arrangement of approved quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height of 88 mm, weighing not less than 190 gms.	Each	2		

Annexure A ( Schedule of Quantities)					
Sr.No	Item Description	Unit	Quantity	Rate	Amount
10	Providing and fixing PTMT liquid soap container 109 mm wide, 125 mm high and 112 mm distance from wall of standard shape with bracket of the same materials with snap fittings of approved quality and colour, weighing not less than 105 gms.	Each	7		
11	Providing and fixing toilet paper holder : i) C.P. brass	Each	21		
12	Providing and fixing C.P. brass angle valve for basin mixer and geyser points of approved quality conforming to IS:8931 i) 15mm nominal bore	Each	3		
13	Providing and fixing C.P. brass health faucet Model No. ALD CHR 593 of jaquar, MAC 3050 fo Marc, CG 106 of Cera or equivalent make with 8mm dia, 1.00 meter long flexible tube & wall hook i/c all necessary fittings etc., complete as per direction of Engineer-in-charge.	Each	8		
14	Providing and fixing CP Brass 32mm size Bottle Trap of approved quality & make and as per the direction of Engineer-in-charge.	Each	2		
15	Providing and fixing C.P. brass shower rose with 15 or 20 mm inlet : i) 100 mm diameter	Each	5		
16	Providing and fixing solid plastic seat with lid for pedestal type W.C. pan complete : White solid plastic seat with lid	Each	1		
17	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge .(Cost of aluminium snap beading shall be paid in basic item): i) With float glass panes of 5 mm thickness (weight not less than 12.50 kg/ sqm)	M2	1		
18	Providing and laying rectified Mat finish Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS : 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3kg/ Sqm including grouting the joints with white cement and matching pigments etc., complete.	M2	2		
19	Providing and fixing C.P. brass bib cock of approved quality conforming to IS:8931 : i) 15 mm nominal bore	Each	2		

Annexure A ( Schedule of Quantities)					
Sr.No	Item Decription	Unit	Quantity	Rate	Amount
20	Distemping with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification. i) Two or more coats on new work	M2	100		
21	Providing and fixing white vitreous china pedestal type water closet (European type W.C. pan) with seat and lid, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever), conforming to IS : 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required : i) W.C. pan with ISI marked white solid plastic seat and lid	Nos	1		
	Total Amount				
	Total Amount (Inclusive of GST)				

**ANNEXURE - B**

*(To be printed on letter head)*

---

**BID SECURITY DECLARATION**

**IN LIEU OF SUBMISSION OF EARNEST MONEY DEPOSIT (EMD)**

**Ref: Enquiry No -                      dated**

I/we do hereby certify that the bid submitted by me/us shall not be withdrawn or modified during its validity/extended period of validity.

I am/we are fully aware that, in the event of withdrawal of the bid/any modifications in the bid/ failing to accept the work order within the period /extended period of bid validity/failing to submit the performance security before the deadline prescribed as per rules, our firm shall be suspended to being eligible to submit any bids/proposals for contract with IIT Goa for a period of **One Year**.

---

**Signature with date:**

**Name:**

**Designation:**

**Official Seal**